

Fieldnote Supply Shop

Fictional operating report | 2026-09-08


A six-product shop with linked customers, orders, order lines, captured payments and partial refunds.

Metric	Value	Unit
Gross item sales	942.00	USD
Refunded amount	80.00	USD
Orders	12.00	records

NOVUS EXAMPLES / FICTIONAL OPERATING DATA

Fieldnote Supply Shop

Order values (USD)



Source: included operating-model.json. Fixed snapshot 2026-09-08.

Files and expected behavior

The workbook, chart and result assertions are derived from the same linked records. operating-model.json carries every source table. Schema validation covers field types; declared relational rules check uniqueness and references.

Source table	Records	Primary key
products	6	product_id
customers	6	customer_id
orders	12	order_id
order_lines	24	line_id
payments	12	payment_id
variants	12	variant_id
discounts	4	discount_id
returns	4	return_id
merchandising	6	placement_id

Using the example

Blank input tables

blank-input-tables.zip contains a header-only CSV for every source table and a setup guide. Start with those files when you need a reusable empty template. Keep identifiers consistent across tables; the paired JSON Schema describes the data types.

Products use USD amounts. Vendor profiles describe tested file specifications, not completed account imports.

Use guide.md for the import sequence and expected-results.json for exact numeric assertions. Negative test records are intentionally invalid and belong in a validation harness.